CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference Issue Date 20190801-E34997 E34997-19660413 2019-AUGUST-01

Issued to: APPLETON GROUP 9377 W HIGGINS RD, ROSEMONT IL 60018

This certificate confirms that representative samples of

CONDUIT FITTINGS FOR USE IN HAZARDOUS LOCATIONS See Addendum Page.

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety:UL 1203, Explosion-Proof and Dust-Ignition-Proof Electrical
Equipment for Use in Hazardous (Classified) LocationsAdditional Information:See the UL Online Certifications Directory at

https://iq.ulprospector.com
for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Ba Mally

Bruce Mahrenholz, Director North American Certification Program



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/

CERTIFICATE OF COMPLIANCE

Certificate Number Report Reference Issue Date 20190801-E34997 E34997-19660413 2019-AUGUST-01

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Conduit fittings, Series ELBY, short radius capped elbows (90° bend) for use in Hazardous Locations.

Class I, Groups B, C, and D; and Class II, Groups E, F, and G, and Class III.

 Cat. No.
 Conduit Size, In.

 ELBY-50
 1/2

 ELBY-75
 3/4

 ELBY-100
 1

ELBY-125 1-1/4 ELBY-150 1-1/2

Class I, Groups C and D; Class II, Groups E, F, and G and Class III.

Cat. No.	Conduit Size, In.		
ELBY-50A	1/2		
ELBY-75A	3/4		
ELBY-100A	1		
ELBY-125A	1-1/4		

For commercial reasons, alternate Cat. Nos. may be as follows:

Original Cat. No.	Alternate Cat. No.	Original Cat. No.	Alternate Cat. No.
ELBY-50	LBY-50	ELBY -125	LBY-125
ELBY -75	LBY -75	ELBY -150	LBY -150
ELBY -100	LBY -100		

Bamaly

Bruce Mahrenholz, Director North American Certification Program



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/